

NPS Style - Cantilever Framed Pedestal

In-Ground Mount and Surface Mount All Aluminum Construction

› For use with .090 and 1/8" panels only

› Standard Posts 2" x 3"

**Post length & material varies by
style and frame height**

Custom post sizes available:

- ✓ 2" x 3" ✓ 2" x 6" ✓ 4" x 4"
- ✓ 2" x 4" ✓ 3" x 5"

* Custom post lengths available

* Standard and custom color options available


› Standard panel height 24"

› Frame will be flush with top of the posts

› Frame installs to posts with drive rivets

Length of post arm varies by panel height.

* Post length is determined by panel height, installation height
and burial depth




izone
Imaging

Toll Free 888.464.9663
Local 254.778.0722
Fax 254.778.0938
Email info@izoneimaging.com


izoneimaging.com

NPS Style - Cantilever Framed Pedestal
In-Ground Mount and Surface Mount
All Aluminum Construction

FRONT VIEW




REAR VIEW




> Post Mounting Options


Surface Mount



In-Ground Mount



Deluxe Surface Mount




Toll Free 888.464.9663
Local 254.778.0722
Fax 254.778.0938
Email info@izoneimaging.com

izoneimaging.com

Cantilever Pedestal - Framed

In-Ground Mount and Surface Mount

All Aluminum Construction



Project details pertaining to below grade installation depths, ADA requirements, wind loads, or other specifications, should be discussed with your Sales Representative at estimating.



Toll Free 888.464.9663
Local 254.778.0722
Fax 254.778.0938
Email info@izoneimaging.com

izoneimaging.com